EMMETSBURG EVERGREEN CEMETERY MARKER & MONUMENT

PERMIT APPLICATION FORM

This completed form must be submitted to the City of Emmetsburg and approved PRIOR to fabrication of marker or monument.

FOR PURCHASER						
Purchaser	Telephone					
Name(s) to be etched on monument:						
By signing below, I am confirming that I have the right and perm purchaser or owner of the lot being marked.	nission to mark this grave as the legal next-of-kin and/or					
Purchaser Signature	Date					
FOR MONUMENT COMPANY						
Monument Company Name	Telephone					
Address						
wherein NO MONUMENTS OR GRAVE STONES AR must be bronze or granite markers, placed with the	or space conveyed is within a section of this cemetery RE PERMITTED ABOVE GROUND LEVEL. The markers eir upper surface flush with the ground only. Drace conveyed is in a section of the cemetery where					
Material (check one): Granite Marble Bronze Othe	r (describe)					
Fee and Size of Marker or Monument One monument or marker per single grave is allowed. There w	vill be no dual monumentation on single grave marker.					
 Double Headstone-\$500 (Size may be up to 18" x 54 Columbarium HeadstoneSingle Inurnment (As per the City Code, the City of Emmetsburg must su 	,					

**Any stone base larger than the above stated sizes must be preapproved at a duly called meeting of the Emmetsburg Cemetery Board of Trustees, prior to fabrication of the monument or marker. There will be an extra fee of \$100 upon approval of the Board.

**Two-piece stones: there will be an extra fee ranging from \$200-\$300 based on the time it takes to install the monument.

The monument company is responsible for submitting a rendering of the monument or marker and a drawing showing dimensions as well as any special design elements including permanent vases or pots with this completed form. (All permanent vases, pots and identifying markers must be placed in the concrete foundations).

Monuments or markers shall be placed on foundations poured by the City of Emmetsburg. Poured foundations will be nominal six inches in thickness. All foundations shall have a wash at both sides and ends of monument or marker. Wash shall be a minimum of 3". The foundation base will be set within fourteen (14) days after the permit fee is paid and application approved, weather permitting.

The monument or marker will be set within two (2) weeks after delivery to the cemetery with weather permitting.

Between November 1st and April 1st setting of monuments or markers will be determined on the ground conditions and if weather permits.

LOCATION OF CEMETERY LOT AND APPROVAL OF PERMIT								
		Approved		Denied				
Cemetery Sexton								
Reason if denied:								
-	y listed on this perr Contact Name:			-		or	denial:	
		OFFICE USE ONL	<u> </u>				1	
Single Headstone	Double Headstone_	Co	olumbarium	Headstone				
Lot Owner(s)				Page				
Sublot(s)	Lot	Block						
Amount Paid:	Date:							